

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Previously Presented) A method for generating cryptographic keys from two integers a, b that are co-prime with one another, which includes the following operations:

A) - calculating the modular exponentiation $a^{\lambda(b)} \bmod b$, where λ is the Carmichael function,

B) - verifying whether this modular exponentiation is equal to 1,

C) - reiterating operations A and B with another pair of integers when the modular exponentiation is not equal to 1; and

D) - generating at least two cryptographic keys from the integers a and b when the equality is verified.

2. (Original) A method for generating electronic keys according to Claim 1, wherein:

- an integer number b with a given length is chosen and is stored in memory,
- an integer number a is drawn at random,
- $a^{\lambda(b)} \bmod b$ is calculated,
- it is verified that $a^{\lambda(b)} = 1 \bmod b$ (or $a^{\lambda(b)} \bmod b = 1$),
- the number a is stored in memory in the case where equality is verified,

- the above steps are reiterated with another number a when equality is not verified.

3. (Previously Presented) A method for generating electronic keys according to Claim 1, wherein the integer b is predetermined, and the value $\lambda(b)$ is calculated in advance and stored in memory.

4. (Previously Presented) The method of claim 1 further including the steps of encrypting and/or decrypting information by means of a public key cryptography protocol, using said cryptographic keys as the encryption and decryption keys.

5. (Currently Amended) A method for generating RSA or El Gamal or Schnorr cryptographic keys, comprising the steps of:

- A) - selecting two integers a, b as candidates;
- B) - calculating the modular exponentiation $a^{\lambda(b)} \bmod b$, where λ is the Carmichael function,
- C) - verifying whether this modular exponentiation is equal to 1,
- D) - retaining the pair a, b when equality is verified,
- E) - reiterating steps B and C with another pair of numbers when the modular expansion is not equal to 1, and
- F) - generating at least pair of cryptographic keys from the pair a, b retained in step D.

6. (Original) A portable electronic device comprising an arithmetic processor and an associated program memory that are capable of effecting modular exponentiations, and further including a program for verifying the co-primeness of integer numbers of given length, which performs the following operations:

- A) - calculating the modular exponentiation $a^{\lambda(b)} \bmod b$, where λ is the Carmichael function,
 - B) - verifying that this modular exponentiation is equal to 1,
 - C) – storing the pair a, b in the arithmetic processor when equality is verified,
- and
- D) – reiterating steps A and B with another pair of integers when equality is not verified.

7. (Original) A portable electronic device according to Claim 6, wherein the number b is predetermined and the value $\lambda(b)$ is calculated in advance and stored in a memory.

8. (Original) A portable electronic device according to Claim 6, wherein said portable electronic device comprises a chip card with a microprocessor.

9. (Previously Presented) The portable electronic device of claim 6 wherein said arithmetic processor generates a pair of cryptographic keys from the stored pair of integers a, b.